Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



-19297

CACTUS

and

SUCCULENTS

from all over the world



There are so many varieties unknown to us, we are compelled to list only a part of our large stock.

You are cordially invited to visit the nursery at any time—It's an education.



Phyllo Cactus Farm 5633 Sunset Boulevard HOLLYWOOD, CALIFORNIA

TERMS

Remit by post office or express money order, registered letter, or personal check.

If wanted by parcel post, add postage as follows: on orders from states west of the Mississippi river, add 10 per cent; if east of the Mississippi add 20 per cent.

Large plants sent by express collect. C. O. D. orders not accepted.

orders not accepted.

CULTURAL HINTS

Air, light and good drainage is what cactus and the like plants of a succulent character should have in the first instance.

Best soil in general is a mixture of three parts of loam, one part of leaf mould and two parts of sand. For the globular species, like echinocactus, better use coarse sand instead of leaf mould.

Plant them as shallow as possible.

Water your plants well and thoroughly, and, when the soil gets dry, water again.

Anhalonium Fissuratum (The Living

CACTUS

Rock)	.75 to	2.00
Astrophytum Myriostigma (The Bishop		
Hood)	1.50 to	10.00
Astrophytum Ornatus	2.00 to	15.00
	2.00 10	10.00
CEREUS Baumanii Var. Colubrinus Cristate		
(Cleistocactus)		
Beneckei		
Candicans (Trichocereus)		
Childsii	7.50 to	50.00
Chilensis Monstruosa	1.00 to	350.00
Cochal (Myrtillocactus)		
Eburneus	F 0 4 -	F F 0
Emoryi (Bergerocactus)	.50 to	$\frac{7.50}{15.00}$
Formosus Monstruosa	.75 to	10.00
Geometrizans (Myrtillocactus)	2.00 to	15.00
Giganteus (Carnegiea)	1.50 to	50.00
Grandiflorus (Selenicereus)	.35 to	15.00
Hankeanus		
Innominatus (Trichocereus)		
Lamprochlorus (Trichocereus)	1.00 to	25.00
Marginatus (Pachycereus)		250.00
Marginatus Cristate		
Peruvianus	.50 to	
Peruvianus Hexagonus	.75 to	
Peruvianus Longispinus Perucianus Longispinus Monstruosa	.75 to 1.00 to	
Pitahaya (Red Blossom)	1.50 to	
Schottii (Lophocereus)	1.50 to	730.00
Schottii (Lophocereus)	35.00 to	
Have seedlings now and then.	35.00 to	200.00
Senius (Cephalocereus)—The Old Man Have seedlings now and then Serpentinus (Nyctocereus)		
Senius (Cephalocereus)—The Old Man Have seedlings now and then. Serpentinus (Nyctocereus)	35.00 to .25 to	200.00 15.00
Cephalocereus)—The Old Man Have seedlings now and then. Serpentinus (Nyctocereus) Silvestrii (Chamacereus) Spachianus (Trichocereus)	35.00 to	200.00
Seniis (Cephalocereus)—The Old Man Have seedlings now and then. Serpentinus (Nyctocereus)	35.00 to .25 to 1.00 to 5.00 to	200.00 15.00 25.00 35.00
Have seedlings now and then. Serpentinus (Nyctocereus)	35.00 to .25 to 1.00 to 5.00 to 1.00 to	200.00 15.00 25.00 35.00 15.00
Have seedlings now and then. Serpentinus (Nyctocereus). Silvestrii (Chamacereus). Spachianus (Trichocereus). Spinulosus (Selenicereus). Thurberi Tortuosa (Harrisia). Undatus (Hylocereus).	35.00 to .25 to 1.00 to 5.00 to	200.00 15.00 25.00 35.00
Have seedlings now and then. Have seedlings now and then. Serpentinus (Nyctocereus). Silvestrii (Chamacereus). Spachianus (Trichocereus). Spinulosus (Selenicereus). Thurberi Tortuosa (Harrisia). Undatus (Hylocereus). Wercrle (Selenicereus).	35.00 to .25 to 1.00 to 5.00 to 1.00 to	200.00 15.00 25.00 35.00 15.00
Seniis (Cephalocereus)—The Old Man Have seedlings now and then. Serpentinus (Nyctocereus). Silvestrii (Chamacereus). Spachianus (Trichocereus). Spinulosus (Selenicereus). Thurberi. Tortuosa (Harrisia). Undatus (Hylocereus). Wercrle (Selenicereus).	35.00 to .25 to 1.00 to 5.00 to 1.00 to .50 to	200.00 15.00 25.00 35.00 15.00 2.50
Have seedlings now and then. Have seedlings now and then. Serpentinus (Nyctocereus). Silvestrii (Chamacereus). Spachianus (Trichocereus). Spinulosus (Selenicereus). Thurberi Tortuosa (Harrisia). Undatus (Hylocereus). Wercrle (Selenicereus) ECHINOCACTUS ACANTHODES (Ferocactus)	35.00 to .25 to 1.00 to 5.00 to 1.00 to 5.00 to .50 to	200.00 15.00 25.00 35.00 15.00 2.50
Have seedlings now and then. Have seedlings now and then. Serpentinus (Nyctocereus)	35.00 to .25 to 1.00 to 5.00 to 1.00 to .50 to	200.00 15.00 25.00 35.00 15.00 2.50
Have seedlings now and then. Serpentinus (Nyctocereus). Silvestrii (Chamacereus). Spachianus (Trichocereus). Spinulosus (Selenicereus). Thurberi. Tortuosa (Harrisia). Undatus (Hylocereus). Wercrle (Selenicereus). ECHINOCACTUS ACANTHODES (Ferocactus). Corniger (Ferocactus Latispinus). Grusonii (The Golden Barrel).	35.00 to .25 to 1.00 to 5.00 to 1.00 to .50 to .50 to .50 to	200.00 15.00 25.00 35.00 15.00 2.50 3.00 3.00 50.00
Seniis (Cephalocereus)—The Old Man Have seedlings now and then. Serpentinus (Nyctocereus). Silvestrii (Chamacereus). Spachianus (Trichocereus). Spinulosus (Selenicereus). Thurberi. Tortuosa (Harrisia). Undatus (Hylocereus). Wercrie (Selenicereus). ECHINOCACTUS ACANTHODES (Ferocactus) Corniger (Ferocactus Latispinus). Grusonii (The Golden Barrel). Horizonthalonius Ingens Var. Visnaga.	35.00 to .25 to 1.00 to 5.00 to 1.00 to .50 to	200.00 15.00 25.00 35.00 15.00 2.50
Seniis (Cephalocereus)—The Old Man Have seedlings now and then. Serpentinus (Nyctocereus). Silvestrii (Chamacereus). Spachianus (Trichocereus). Spinulosus (Selenicereus). Thurberi. Tortuosa (Harrisia). Undatus (Hylocereus). Wercrie (Selenicereus). ECHINOCACTUS ACANTHODES (Ferocactus) Corniger (Ferocactus Latispinus). Grusonii (The Golden Barrel). Horizonthalonius Ingens Var. Visnaga.	35.00 to .25 to 1.00 to 5.00 to 1.00 to .50 to .50 to .50 to .50 to	$\begin{array}{c} 200.00 \\ 15.00 \\ 25.00 \\ 35.00 \\ 15.00 \\ 2.50 \\ \\ \\ 3.00 \\ 3.00 \\ 50.00 \\ 1.50 \\ \end{array}$
Have seedlings now and then. Have seedlings now and then. Serpentinus (Nyctocereus)	35.00 to .25 to 1.00 to 5.00 to 1.00 to .50 to .50 to .50 to .50 to	200.00 15.00 25.00 35.00 15.00 2.50 3.00 3.00 50.00 1.50
Seniis (Cephalocereus)—The Old Man. Have seedlings now and then. Serpentinus (Nyctocereus). Silvestrii (Chamacereus). Spachianus (Trichocereus). Spinulosus (Selenicereus). Thurberi Tortuosa (Harrisia). Undatus (Hylocereus). Wercrie (Selenicereus). ECHINOCACTUS ACANTHODES (Ferocactus) Corniger (Ferocactus Latispinus). Grusonii (The Golden Barrel). Horizonthalonius Ingens Var. Visnaga. Intertextus (Echinomastus). Intertextus Var. Dasyacantha. Johnsonii (Ferocactus).	35.00 to .25 to 1.00 to 5.00 to 1.00 to .50 to .50 to .50 to .50 to .50 to	200.00 15.00 25.00 35.00 15.00 2.50 3.00 3.00 50.00 1.50
Have seedlings now and then. Have seedlings now and then. Serpentinus (Nyctocereus). Silvestrii (Chamacereus). Spachianus (Trichocereus). Spinulosus (Selenicereus). Thurberi Tortuosa (Harrisia). Undatus (Hylocereus). Wercrle (Selenicereus). ECHINOCACTUS ACANTHODES (Ferocactus). Corniger (Ferocactus Latispinus). Grusonii (The Golden Barrel). Horizonthalonius Ingens Var. Visnaga. Intertextus (Echinomastus). Intertextus Var. Dasyacantha. Johnsonii (Ferocactus).	35.00 to .25 to 1.00 to 5.00 to 1.00 to .50 to .50 to .50 to .50 to	200.00 15.00 25.00 35.00 15.00 2.50 3.00 3.00 50.00 1.50
Seniis (Cephalocereus)—The Old Man. Have seedlings now and then. Serpentinus (Nyctocereus). Silvestrii (Chamacereus). Spachianus (Trichocereus). Spachianus (Trichocereus). Thurberi. Tortuosa (Harrisia). Undatus (Hylocereus). Wercrle (Selenicereus). ECHINOCACTUS ACANTHODES (Ferocactus). Corniger (Ferocactus Latispinus). Grusonii (The Golden Barrel). Horizonthalonius Ingens Var. Visnaga. Intertextus (Echinomastus). Intertextus (Echinomastus). Intertextus (Tasyacantha. Johnsonii (Ferocactus). Polycephalus Texensis (Homalocephala).	35.00 to .25 to 1.00 to 5.00 to 1.00 to .50 to .50 to .50 to .50 to .50 to	200.00 15.00 25.00 35.00 15.00 2.50 3.00 3.00 50.00 1.50
Have seedlings now and then. Have seedlings now and then. Serpentinus (Nyctocereus). Silvestrii (Chamacereus). Spachianus (Trichocereus). Spinulosus (Selenicereus). Thurberi Tortuosa (Harrisia). Undatus (Hylocereus). Wercrle (Selenicereus). ECHINOCACTUS ACANTHODES (Ferocactus). Corniger (Ferocactus Latispinus). Grusonii (The Golden Barrel). Horizonthalonius Ingens Var. Visnaga. Intertextus (Echinomastus). Intertextus Var. Dasyacantha. Johnsonii (Ferocactus).	35.00 to .25 to 1.00 to 5.00 to 1.00 to 5.00 to .50 to .50 to .50 to .50 to .50 to .50 to	200.00 15.00 25.00 35.00 15.00 2.50 3.00 3.00 50.00 1.50 1.50
Have seedlings now and then. Serpentinus (Nyctocereus). Silvestrii (Chamacereus). Spachianus (Trichocereus). Spinulosus (Selenicereus). Thurberi. Tortuosa (Harrisia). Undatus (Hylocereus). ECHINOCACTUS ACANTHODES (Ferocactus) Corniger (Ferocactus Latispinus). Grusonii (The Golden Barrel). Horizonthalonius Ingens Var. Visnaga. Intertextus (Echinomastus). Intertextus (Echinomastus). Intertextus (Ferocactus). Polycephalus Texensis (Homalocephala) Uncinatus (Ferocactus).	35.00 to .25 to 1.00 to 5.00 to 1.00 to 5.00 to	200.00 15.00 25.00 35.00 15.00 2.50 3.00 50.00 1.50 1.50 7.50

ECHINOCEREUS CANDICANS (The Rainbow)	.25 to	1.50
Chloranthus	.25 to	1.50
Coespitosus	.75 to	1.50
Conoides Dasyacanthus	.50 to .50 to	$\frac{2.50}{2.00}$
Fendleri	.50 to	1.00
Polyachanthus	.50 to	$\frac{5.00}{2.50}$
Rigidissimus	.50 to 1.00 to	$\frac{2.50}{3.00}$
Stramineus	.75 to	3.00
Viridiflorus	.50 to	1.50
ECHINOPSIS Eyriesii	.15 to	7.50
Evriesii Cristate		
Huottii Bolivio	.50 to .25 to	$\frac{25.00}{7.50}$
Multiplex	.20 00	1.00
Oxygona		
Schickendantzii (Gymnocalycium)		
ZYGOCACTUS (Epiphyllum or Christmas		
Cactus)		
Many varieties from .25 to 25.00		
Leuchtenbergia Principis		
Tankankana Williamsii (Mb. Magaal Button)	75.40	1.50
Lophophora Williamsii (The Mescal Button)	.75 to	1.50
MAMILLARIA Applanta	.50 to	1.50
Compressa (Neomamillaria)	1.00 to	15.00
Elongata Stella Aurata (Neomamillaria)	1.00 to	5.00
Goodrichii Grahamii	.35 to .35 to	$\frac{1.00}{1.00}$
Greggii	1.00 to	2.00
Microcarpa	.75 to	3.00
Micromeris (Epithelantha)	1.00 to .50 to	$\frac{2.00}{1.00}$
Recurvata	.75 to	2.00
Scheerii Tuberculosa	.50 to .35 to	$\frac{3.50}{1.50}$
OPUNTIA Arborescens		
Arborescens, Cristate	.25 to	5.00
Arborescens, Cristate	.25 to .15 to .25 to	2.00 1.50
Arborescens, Cristate	.15 to	2.00
Arborescens, Cristate. Auranticaca Basilaris Bigelowii Braziliensis Camanchica Caylindrica	.15 to .25 to 1.00 to	$2.00 \\ 1.50 \\ 25.00$
Arborescens, Cristate Auranticaca Basilaris Bigelowii Braziliensis Camanchica Cylindrica Cylindrica Cylindrica	.15 to .25 to 1.00 to .25 to	2.00 1.50 25.00 5.00
Arborescens, Cristate Auranticaca Basilaris Bigelowii Braziliensis Camanchica Cylindrica Cylindrica Cristate Elephantideus Argentina	.15 to .25 to 1.00 to .25 to .75 to	2.00 1.50 25.00 5.00 15.00
Arborescens, Cristate Auranticaca Basilaris Bigelowii Braziliensis Camanchica Cylindrica Cylindrica Cylindrica Elephantideus Argentina Fulgida Fulgida Fulgida	.15 to .25 to 1.00 to .25 to .75 to .25 to	2.00 1.50 25.00 5.00 15.00 1.50
Arborescens, Cristate Auranticaca Basilaris Bigelowii Braziliensis Camanchica Cylindrica Cylindrica Cristate Elephantideus Argentina Fulgida Fulgida Cristate Frutescens	.15 to .25 to 1.00 to .25 to .75 to	2.00 1.50 25.00 5.00 15.00
Arborescens, Cristate Auranticaca Basilaris Bigelowii Braziliensis Camanchica Cylindrica Cylindrica Cristate Elephantideus Argentina Fulgida Fulgida Frutescens Gosseliniana Imbricata	.15 to .25 to 1.00 to .25 to .75 to .25 to	2.00 1.50 25.00 5.00 15.00 1.50
Arborescens, Cristate Auranticaca Basilaris Bigelowii Braziliensis Camanchica Cylindrica Cylindrica Cristate Elephantideus Argentina Fulgida Fulgida Cristate Frutescens Gosseliniana Imbricata Imbricata Cristate	.15 to .25 to 1.00 to .25 to .75 to .25 to .25 to .25 to	2.00 1.50 25.00 5.00 1.50 1.50 1.50 2.00
Arborescens, Cristate Auranticaca Basilaris Bigelowii Braziliensis Camanchica Cylindrica Cylindrica Cristate Elephantideus Argentina Fulgida Fulgida Frutescens Gosseliniana Imbricata Imbricata Imbricata (Cristate Lepotricha (Senilis)	.15 to .25 to 1.00 to .25 to .75 to .25 to .25 to	2.00 1.50 25.00 5.00 15.00 1.50 1.50
Arborescens, Cristate Auranticaca Basilaris Bigelowii Braziliensis Camanchica Cylindrica Cylindrica Cylindrica Cylindrica Fulgida Fulgida Fulgida Fulgida Frutescens Gosseliniana Imbricata Imbricata Imbricata Cristate Leucotricha (Senilis) Leucotricha Cristate Linguaeformis	.15 to .25 to 1.00 to .25 to .75 to .25 to .25 to .25 to .25 to	2.00 1.50 25.00 5.00 15.00 1.50 2.00 5.00
Arborescens, Cristate Auranticaca Basilaris Bigelowii Braziliensis Camanchica Cylindrica Cylindrica Cristate Elephantideus Argentina Fulgida Fulgida Cristate Frutescens Gosseliniana Imbricata Imbricata Cristate Leucotricha (Senilis) Leucotricha Cristate Linguaeformis Microdasys	.15 to .25 to 1.00 to .25 to .15 to .15 to	2.00 1.50 25.00 5.00 1.50 1.50 2.00 5.00 3.00 5.00
Arborescens, Cristate Auranticaca Basilaris Bigelowii Braziliensis Camanchica Cylindrica Cylindrica Cristate Elephantideus Argentina Fulgida Fulgida Fulgida Fulgida Fulsida Cristate Frutescens Gosseliniana Imbricata Imbricata Imbricata Cristate Leucotricha (Senilis) Leucotricha Cristate Linguaeformis Microdasys Microdasys Rufida	.15 to .25 to 1.00 to .25 to .	2.00 1.50 25.00 5.00 15.00 1.50 2.00 5.00
Arborescens, Cristate Auranticaca Basilaris Bigelowii Braziliensis Camanchica Cylindrica Cylindrica Cristate Elephantideus Argentina Fulgida Fulgida Cristate Frutescens Gosseliniana Imbricata Imbricata Cristate Leucotricha (Senilis) Leucotricha Cristate Linguaeformis Microdasys Rufida Minima (or Tuberculata) Missouriensis	.15 to .25 to 1.00 to .25 to .	2.00 1.50 25.00 5.00 15.00 1.50 2.00 5.00 5.00 5.00 5.00
Arborescens, Cristate Auranticaca Basilaris Bigelowii Braziliensis Camanchica Cylindrica Cylindrica Cristate Elephantideus Argentina Fulgida Fulgida Cristate Frutescens Gosseliniana Imbricata Imbricata Cristate Leucotricha (Senilis) Leucotricha Cristate Linguaeformis Microdasys Rufida Minima (or Tuberculata) Missouriensis Ovata Phaeacantha	.15 to .25 to .2	2.00 1.50 25.00 5.00 15.00 1.50 2.00 5.00 5.00 5.00 1.50
Arborescens, Cristate Auranticaca Basilaris Bigelowii Braziliensis Camanchica Cylindrica Cylindrica Cristate Elephantideus Argentina Fulgida Fulgida Cristate Frutescens Gosseliniana Imbricata Imbricata Cristate Leucotricha (Senilis) Leucotricha Cristate Linguaeformis Microdasys Microdasys Rufida Minima (or Tuberculata) Missouriensis Ovata Phaeacantha Polyacantha	.15 to .25 to 1.00 to .25 to .	2.00 1.50 25.00 5.00 1.50 1.50 2.00 5.00 5.00 5.00 3.50 2.00 5.00 5.00 5.00
Arborescens, Cristate Auranticaca Basilaris Bigelowii Braziliensis Camanchica Cylindrica Cylindrica Cylindrica Cylindrica Cylindrica Fulgida Fulgida Fulgida Fulgida Fulgida Frutescens Gosseliniana Imbricata Imbricata Imbricata Cristate Leucotricha (Senilis) Leucotricha Cristate Linguaeformis Microdasys Microdasys Microdasys Rufida Minima (or Tuberculata) Missouriensis Ovata Phaeacantha Polyacantha Polyacantha Ramosissima	.15 to .25 to 1.00 to .25 to .	2.00 1.50 25.00 5.00 1.50 1.50 2.00 5.00 5.00 5.00 3.50 2.00 5.00 5.00 5.00
Arborescens, Cristate Auranticaca Basilaris Bigelowii Braziliensis Camanchica Cylindrica Cylindrica Cristate Elephantideus Argentina Fulgida Fulgida Cristate Frutescens Gosseliniana Imbricata Imbricata Cristate Leucotricha (Senilis) Leucotricha Cristate Linguaeformis Microdasys Microdasys Rufida Minima (or Tuberculata) Missouriensis Ovata Phaeacantha Polyacantha	.15 to .25 to .2	2.00 1.50 25.00 5.00 1.50 1.50 2.00 5.00 5.00 5.00 1.50 2.00 5.00 3.50 2.00 5.00 5.00 5.00
Arborescens, Cristate Auranticaca Basilaris Bigelowii Braziliensis Camanchica Cylindrica Cylindrica Cristate Elephantideus Argentina Fulgida Fulgida Cristate Frutescens Gosseliniana Imbricata Imbricata Cristate Leucotricha (Senilis) Leucotricha Cristate Linguaeformis Microdasys Microdasys Rufida Minima (or Tuberculata) Missouriensis Ovata Phaeacantha Polyacantha Ramosissima Stapeliae Subulata Ursina	.15 to .25 to .2	2.00 1.50 25.00 5.00 15.00 1.50 2.00 5.00 5.00 5.00 2.00 5.00 5.00 5
Arborescens, Cristate Auranticaca Basilaris Bigelowii Braziliensis Camanchica Cylindrica Cylindrica Cristate Elephantideus Argentina Fulgida Fulgida Cristate Frutescens Gosseliniana Imbricata Imbricata Cristate Leucotricha Cristate Linguaeformis Microdasys Microdasys Microdasys Rufida Minima (or Tuberculata) Missouriensis Ovata Phaeacantha Polyacantha Ramosissima Stapeliae Subulata Ursina	.15 to .25 to 1.00 to .25 to .	2.00 1.50 25.00 5.00 1.50 2.00 5.00 5.00 5.00 3.50 2.00 5.00 3.50 2.00 5.00 3.50 2.00 5.00
Arborescens, Cristate Auranticaca Basilaris Bigelowii Braziliensis Camanchica Cylindrica Cylindrica Cristate Elephantideus Argentina Fulgida Fulgida Cristate Frutescens Gosseliniana Imbricata Imbricata Cristate Leucotricha (Senilis) Leucotricha Cristate Linguaeformis Microdasys Microdasys Rufida Minima (or Tuberculata) Missouriensis Ovata Phaeacantha Polyacantha Ramosissima Stapellae Subulata	.15 to .25 to .2	2.00 1.50 25.00 5.00 1.50 1.50 2.00 5.00 5.00 5.00 1.00 3.50 2.00 5.00 1.00 3.50 2.00 5.00 5.00
Arborescens, Cristate Auranticaca Basilaris Bigelowii Braziliensis Camanchica Cylindrica Cylindrica Cristate Elephantideus Argentina Fulgida Fulgida Cristate Frutescens Gosseliniana Imbricata Cristate Leucotricha Cristate Leucotricha Cristate Linguaeformis Microdasys Microdasys Rufida Minima (or Tuberculata) Missouriensis Ovata Phaeacantha Polyacantha Ramosissima Stapellae Subulata Ursina Velutina Vulgaris Variegata	.15 to .25 to .2	2.00 1.50 25.00 5.00 1.50 1.50 2.00 5.00 5.00 5.00 1.00 3.50 2.00 5.00 1.00 3.50 2.00 5.00 5.00
Arborescens, Cristate. Auranticaca Basilaris Bigelowii Brazilensis Camanchica Cylindrica Cylindrica Cylindrica Cylindrica Cylindrica Cylindrica Fulgida Fulgida Fulgida Fulgida Fulgida Frutescens Gosseliniana Imbricata Imbricata Cristate Leucotricha (Senilis) Leucotricha Cristate Linguaeformis Microdasys Microdasys Rufida Minima (or Tuberculata) Missouriensis Ovata Phaeacantha Polyacantha Ramosissima Stapeliae Subulata Ursina Velutina Vulgaris Variegata FERESKIA Several Varieties from FHYLLOCACTUS We can not count exact number of	.15 to .25 to	2.00 1.50 25.00 5.00 15.00 1.50 2.00 5.00 5.00 5.00 5.00 5.00 5.00 5
Arborescens, Cristate Auranticaca Basilaris Bigelowii Braziliensis Camanchica Cylindrica Cylindrica Cylindrica Cylindrica Cylindrica Cylindrica Cylindrica Cylindrica Cristate Elephantideus Argentina Fulgida Fulgida Fulgida Cristate Frutescens Gosseliniana Imbricata Imbricata Imbricata Limbricata Limbricata Limbricata Limbricata Linguaeformis Microdasys Sufida Minima (or Tuberculata) Missouriensis Ovata Phaeacantha Polyacantha Ramosissima Stapeliae Subulata Ursina Velutina Vel	.15 to .25 to .50 to	2.00 1.50 25.00 5.00 15.00 1.50 2.00 5.00 5.00 5.00 5.00 5.00 5.00 5
Arborescens, Cristate Auranticaca Basilaris Bigelowii Braziliensis Camanchica Cylindrica Cristate Elephantideus Argentina Fulgida Fulgida Fulgida Cristate Frutescens Gosseliniana Imbricata Imbricata Cristate Leucotricha (Senilis) Leucotricha Cristate Linguaeformis Microdasys Microdasys Rufida Minima (or Tuberculata) Missouriensis Ovata Phaeacantha Palaeacantha Ramosissima Stapeliae Subulata Ursina Velutina Velutin	.15 to .25 to .50 to .50 to .50 to .50 to .25 to .25 to .50 to .25 to .25 to .25 to .50 to .50 to .25 to	2.00 1.50 25.00 5.00 1.50 1.50 2.00 5.00 5.00 5.00 3.50 2.00 3.50 2.00 5.00 5.00 5.00 2.00 2.00 2.50 2.5
Arborescens, Cristate Auranticaca Basilaris Bigelowii Braziliensis Camanchica Cylindrica Cylindrica Cristate Elephantideus Argentina Fulgida Fulgida Cristate Frutescens Gosseliniana Imbricata Imbricata Cristate Leucotricha (Senilis) Leucotricha Cristate Linguaeformis Microdasys Microdasys Microdasys Rufida Minima (or Tuberculata) Missouriensis Ovata Phaeacantha Polyacantha Ramosissima Stapeliae Subulata Ursina Velutina Velutina Velutina Velutina Velutina FERESKIA Several Varieties from FHYLLOCACTUS We can not count exact number of varieties, from	.15 to .25 to .50 to	2.00 1.50 25.00 5.00 15.00 1.50 2.00 5.00 5.00 5.00 1.50

SUCCULENTS

AGAVE Americana	.15 to	2.50
Americana Aur. Marg	.20 to	3.00
Albicans	.50 to 2.00 to	$\frac{10.00}{15.00}$
Attenuata	1.50 to	10.00
Compacta Decipien	15 to	9.00
Desertii	.15 to .20 to	$\frac{2.00}{1.00}$
Ferox	.75 to	35.00
Filifera Adornata	1.50 to	25.00
Franzosinii	.50 to	10.00
Lecheguilla	.50 to	5.00
Medio Picta	1.50 to 1.00 to	$\frac{25.00}{15.00}$
Neglecta	.15 to	2.00
Nicholae Parvifolia	.50 to	7.50
Regeliana	.50 to	10.00
Schottii	.50 to	5.00
Shidigera Utahensis	.50 to	5.00
Victoriae Reginae	1.00 to	35.00
ALOE ARBORESCENS	.15 to	2.50
Beguinii	1.00 to	$\frac{2.50}{3.00}$
Brevifolia	.15 to	1.00
Ciliaris Commutata	.20 to .75 to	$\frac{1.00}{5.00}$
Davahana	1.00 to	7.00
Distans Echinata	.35 to	5.00
Echinata Eru	.75 to	10.00
Ferox	2.50 to	25.00
Hanburyana Heteracantha	.50 to .75 to	$\frac{5.00}{5.00}$
Humilis	1.50 to	10.00
Latifolia	.35 to	5.00
Latifolia (Hybred)	.15 to 2.50 to	$\frac{1.50}{5.00}$
Marlothii	.75 to	10.00
Mitraeformis	.35 to .75 to	$\frac{5.00}{5.00}$
Nowotonyi	1.50 to	10.00
Plicatilis Saponaria	.25 to	3.00
Spinosissima Striata	.25 to 2.50 to	$\begin{array}{c} 7.00 \\ 15.00 \end{array}$
Supralaevis	1.00 to	15.00
Variegata Vera	.35 to .25 to	$\frac{25.00}{5.00}$
vera	.20 10	5.00
Altimoroso Elongata	.35 to	1.50
Apicra Coarctata		
	05.4	4.00
Bryophyllum Crenatum	.25 to	1.00
Caroli Schmidtii		
Cotyledon Abram	.75 to	3.00
Arborescens	.25 to	5.00
Orbiculata	.25 to .35 to	$\frac{5.00}{2.50}$
Maximum	.55 10	2.50
Undulata		
CRASSULA Impressa	.35 to	3.00
Lactea	.25 to	3.00
Lycopodioides (Pseudo)	.15 to .25 to	$\frac{.50}{1.00}$
Lycopodioides (Pseudo) Monticolla Multicava Lemaire (Quadrifida Baker)	.35 to	1.50
Multicava Lemaire (Quadrifida Baker)	.25 to .35 to	$\frac{1.00}{1.50}$
Perforata (String and Button) Perfossa	.35 to	1.50 1.50
Portulacea	.15 to	5.00
Rubicunda	.50 to .10 to	$\frac{2.00}{1.50}$
DUDLEYA Farinosa	.25 to .25 to	$\frac{1.00}{1.00}$
Ingens Sport	.50 to	2.50
Ingens Sport Unnamed Varieties from	.25 to	1.50
DYCKIA Rariflora	.50 to	2.50
Sulphurea	.35 to	1.50

TOTAL A second 2		
ECHEVERIA Agavoides Clavifolia	.25 to	1.50
CoccineaElegans	50 to	0.50
Funckii	.50 to .50 to	$\frac{2.50}{1.50}$
Gigantea	.50 to	2.50
Globosa Grandis Roseii	.10 to	.50
Hoveyi Variegata	.50 to .50 to	$\frac{5.00}{5.00}$
Hoveyi Variegata Leucotricha		
Linguaefolia Metallica	.25 to .35 to	$\frac{1.00}{5.00}$
Metallica Grandis	.75 to	10.00
Nobiles Pulvinata	.35 to	2.50
Scaphiphylla	.50 to	2.50
Secunda Glauca	.10 to	.25
Setosa Simulans	.35 to	2.00
Viridis	.35 to	3.50
Weinbergii	.15 to	75
EUFHORBIA ABYSSINICA	.19 (0	.75
Caput Medusae	.35 to	10.00
Caput Medusae Commelinii Cereiformis	1.50 to .35 to	$\frac{10.00}{5.00}$
Coerulescens	.50 to	50.00
Eaneagona Echinus	1.00 to	F 0.0
Globosa	1.00 to	5.00
Grandicornis	1.00 to	35.00
GrandidensGrantii	.50 to	15.00
Heptagona	.75 to	10.00
Ingens Lactea		
Lactea Cristate		
Ledienii	F0 +-	F 0.0
Mamillaris Mauretanica	.50 to .15 to	$\frac{5.00}{1.50}$
Meroformis		
Multifolio Neutra	.15 to	1.00
Officinaram	.50 to	10.00
Ornithophus Pseudocactus	.50 to	20.00
Resinifera		
SchimperianaSplendens (Crown of Thorns)	.20 to .35 to	$\frac{10.00}{5.00}$
Submamillaris	.50 to	10.00
Tirucalli Triangularis	.15 to	5.00
Triangularis Xylophylloides		
Fouquiera Splendens (Occatillos)		
rouquiera spiendens (Occamios)		
GASTERIA Angulata	.75 to .35 to	$\frac{5.00}{2.00}$
Caespitosa	1.00 to	7.00
Latifolia	.35 to	3.00
Maculata Nigricans	.35 to .35 to	$\frac{1.50}{2.00}$
Picta	.35 to	5.00
Spiralis Verucosa	.75 to .50 to	$\frac{10.00}{5.00}$
	.00 00	0.00
Haemanthus Altilineata		
HAWORTHIA Altilineata	.35 to	1.50
Apricangrandicans	.35 to .35 to	$\frac{1.50}{1.50}$
Attenuata Coarctata	.35 to	$\frac{1.50}{2.50}$
Cymbiformis Margaritifera Punctata	.35 to 1.00 to	$\frac{1.50}{3.00}$
	1.00 to	3.00
Margaritifera Punctata		
Margaritifera Punctata Tesselata Turgida		
Tesselata Turgida	.25 to	1.00
Tesselata Turgida HOYA CARNOSA	.25 to	
Tesselata Turgida HOYA CARNOSA KALANCHOE Flammea	.25 to .35 to .25 to	1.00 5.00 2.50
Tesselata Turgida HOYA CARNOSA KALANCHOE Flammea Marmorata Somalensis	.35 to	5.00
Tesselata Turgida HOYA CARNOSA KALANCHOE Flammea Marmorata Somalensis Tubifolia	.35 to .25 to 1.00 to	$5.00 \\ 2.50 \\ 5.00$
Tesselata Turgida HOYA CARNOSA KALANCHOE Flammea Marmorata Somalensis Tubifolia KLEINIA Articulata	.35 to .25 to 1.00 to	5.00 2.50 5.00
Tesselata Turgida HOYA CARNOSA KALANCHOE Flammea Marmorata Somalensis Tubifolia KLEINIA Articulata Ficoides	.35 to .25 to 1.00 to .15 to .15 to .15 to	5.00 2.50 5.00 .50 .50
Tesselata Turgida HOYA CARNOSA KALANCHOE Flammea Marmorata Somalensis Tubifolia KLEINIA Articulata Ficoides	.35 to .25 to 1.00 to .15 to .15 to	2.50 5.00 .50

DESCRIPTION ACTION (Dune		
MESEMBRIANTHEMUM Agninum (Punctillaria Compacta)	.25 to	1.00
Anguatifolium	05.4	2.00
Brownii Deltoides	.25 to .15 to	$\frac{2.00}{.50}$
Echinatum	.25 to	.50
Edule	.25 to	.50
Lehmanii Linguaeformis	.25 to .25 to	$\frac{1.00}{.75}$
Maximum	.15 to	.50
Multiceps	.35 to	.50
Rhomboideum	.35 to	.75
Tigrinum	.35 to	1.00
Tigrinum Superbum	.50 to	2.00
Vaginatum	.25 to .35 to	$\frac{.50}{1.00}$
1 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -	.00 00	1.00
Oliveranthus Elegans	.25 to	1.00
Others Greenifelia	104-	5 0
Othonna Crassifolia	.10 to	.50
Pachyphytum Bracteosum		
F=-0		
Pleiospilos Bolusii		
Tout In and A fform	45	
Portulacaria Affra	.15 to	1.00
Rhodostachys Pitcairnifolia	1.00 to	15.00
Rochea Falcata	.25 to	2.50
Longifolia	.75 to	5.00
Sanseviera Cylindrica (Antelope Horns)	1.00 to	5.00
(Tiger House Plants)	.50 to	2.50
SEDUM Adolphii	.15 to .75 to	$\frac{.50}{2.00}$
Album	.15 to	.50
Allantaides	.25 to	1.50
Altissimum	.15 to	.50
Anacampseros	.75 to	2.00
Brevifolium	.20 to .15 to	$.75 \\ .50$
Multiceps	.50 to	1.50
Pachyphyllum Pachyphyllum Cristate	.15 to	.75
Pachyphyllum Cristate	.20 to	.75
Palmerii Praealtum	.10 to	.75
Praealtum Cristate	.35 to	5.00
Reflexum Var. Cristate	.75 to .15 to	$\begin{array}{c} 5.00 \\ .50 \end{array}$
Rupestre	.15 to	.75
Stahlii	.15 to	.50
	F0.1-	1 50
SEMPERVIVUM Arachnoideum Var. Hookerii	.50 to .15 to	$\frac{1.50}{1.50}$
Arboreum Atro Purpureum	.15 to	1.50
Arboreum Atro Cristate	.50 to	2.00
Calcareum	.50 to	$\frac{2.00}{2.50}$
Cooperii	.15 to	1.00
Holochrysum	.25 to	$\frac{2.50}{5.00}$
Pseudotabulaeforme	.50 to .25 to	$\frac{5.00}{1.00}$
rectorum	.20 10	
STAPELIA Gigantea	.75 to	3.00
Grandiflora	.50 to	2.00
Hirsuta	.35 to	1.50
Recurvata Tsomoensis		
Variegata	.15 to	.75
Stylophyllum Edule	.35 to	1.50
Veltheimia Viridifolia		
YUCCA Whipplei		
Bondula Glanca		
Spanish		
Spanish Spanish fol. marg. Several South American Varieties and		
Very Rare Specimens, from	.50 to	150.00
v··· • ·		

A Suggestion


If you will mail us a description of your plan, giving space; whether outdoors or for pots inside; your local climatic conditions; whether you wish to plant native cactus or foreign, or principally succulents, we will furnish you with costs together with expert advice regarding your particular problem-without obligation.

Please Note

Native Cactus must be watered carefully to avoid rotting.

Succulents need more water than either the native or the foreign cactus.

Foreign Cactus has been bred to stand considerable moisture.



SPECIMEN GARDEN

Make your own Cactus Garden A \$31 listing for \$25

Plants and rocks f.o.b. Los Angeles

Size of box-44 inches by 32 inches. Pool-169 square inches (approx. 6 inches deep). Number of Plants in This Garden:

- 7 Cereus
- 1 Mamillaria 2 Aloe
- 2 Echeveria 1 Kalanchoe
- 3 Sempervivum
- 1 Echinocactus 12 Opuntia
- 1 Cotyledon
- 7 Euphorbia 2 Kleinia
- 17 Sedum
- 1 Echinopsis

- 3 Rhipsalis
- 3 Crassula 1 Gasteria
- 6 Mesembrianthemum
- 1 Stapelia
- 1 Agave 1 Dyckia
- 2 Haworthia
- 1 Rochea 1 Yucca
- Volcanic Rocks

In this pool, several aquatic plants and a pair of Paradise Fish add to the beauty of this plan.



Phyllo Cactus Farm

S. Kawase and Corley Z. Ito
5633 SUNSET BLVD. HOLLYWOOD, CALIE